

Amendments to the Claims:


This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

What is claimed is:

1-14 (canceled)

15. (original) A compound of the formula (II):



II

wherein:

R_3 is selected from the group consisting of:

- Z-Ar,
- Z-Ar'-Y- R_4 ,
- Z-Ar'-X-Y- R_4 ,
- Z-Ar'- R_5 , and
- Z-Ar'-X- R_5 ;

Z is selected from the group consisting of a bond, alkylene, alkenylene, and alkynylene wherein alkylene, alkenylene, and alkynylene are optionally interrupted with -O-;

Ar is selected from the group consisting of aryl and heteroaryl both of which can be unsubstituted or can be substituted by one or more substituents independently selected from the group consisting of alkyl, alkenyl, alkoxy, methylenedioxy, haloalkyl, haloalkoxy, halogen, nitro, hydroxy, hydroxyalkyl, mercapto, cyano, carboxy, formyl, aryl, aryloxy, arylalkyleneoxy, heteroaryl, heteroaryloxy, heteroarylalkyleneoxy, heterocyclyl, heterocyclylalkylenyl, amino, alkylamino, and dialkylamino;

Ar' is selected from the group consisting of arylene and heteroarylene both of which can be unsubstituted or can be substituted by one or more substituents independently selected from the group consisting of alkyl, alkenyl, alkoxy, haloalkyl, haloalkoxy, halogen, nitro, hydroxy, hydroxyalkyl, mercapto, cyano, carboxy, formyl, aryl, aryloxy, arylalkyleneoxy, heteroaryl, heteroaryloxy, heteroarylalkyleneoxy, heterocyclyl, heterocyclylalkylenyl, amino, alkylamino, and dialkylamino;

R is selected from the group consisting of alkyl, alkoxy, hydroxy, halogen, and trifluoromethyl;

n is 0 or 1;

R₁ is selected from the group consisting of:

-R₄,
-X-R₄,
-X-Y-R₄,
-X-Y-X-Y-R₄, and
-X-R₅;







R₂ is selected from the group consisting of:

-R₄,
-X-R₄,
-X-Y-R₄, and
-X-R₅;

each X is independently selected from the group consisting of alkylene, alkenylene, alkynylene, arylene, heteroarylene, and heterocyclylene wherein the alkylene, alkenylene, and alkynylene groups can be optionally interrupted by arylene, heteroarylene or heterocyclylene or by one or more -O- groups;


each Y is independently selected from the group consisting of:

-S(O)₀₋₂-,
-S(O)₂-N(R₈)-,
-C(R₆)-,
-C(R₆)-O-,
-O-C(R₆)-,
-O-C(O)-O-,



each R_4 is independently selected from the group consisting of hydrogen, alkyl, alkenyl, alkynyl, aryl, arylalkylenyl, aryloxyalkylenyl, alkylarylenyl, heteroaryl, heteroarylalkylenyl, heteroaryloxyalkylenyl, alkylheteroarylenyl, and heterocyclyl wherein the alkyl, alkenyl, alkynyl, aryl, arylalkylenyl, aryloxyalkylenyl, alkylarylenyl, heteroaryl, heteroarylalkylenyl, heteroaryloxyalkylenyl, alkylheteroarylenyl, and heterocyclyl groups can be unsubstituted or substituted by one or more substituents independently selected from the group consisting of alkyl, alkoxy, hydroxyalkyl, haloalkyl, haloalkoxy, halogen, nitro, hydroxy, mercapto, cyano, aryl, aryloxy, arylalkyleneoxy, heteroaryl, heteroaryloxy, heteroarylalkyleneoxy, heterocyclyl, amino, alkylamino, dialkylamino, (dialkylamino)alkyleneoxy, and in the case of alkyl, alkenyl, alkynyl, and heterocyclyl, oxo;

each R_5 is independently selected from the group consisting of:



- each R_6 is independently selected from the group consisting of =O and =S;
- each R_7 is independently C_{2-7} alkylene;
- each R_8 is independently selected from the group consisting of hydrogen, alkyl, alkoxyalkylenyl, and arylalkylenyl;
- each R_9 is independently selected from the group consisting of hydrogen and alkyl;
- each R_{10} is independently C_{3-8} alkylene;
- each A is independently selected from the group consisting of -O-, -C(O)-, -S(O)_{0.2}-, -CH₂-, and -N(R₄)-;
- each Q is independently selected from the group consisting of a bond, -C(R₆)-, -C(R₆)-C(R₆)-, -S(O)₂-, -C(R₆)-N(R₈)-W-, -S(O)₂-N(R₈)-, -C(R₆)-O-, and -C(R₆)-N(OR₉)-;
- each V is independently selected from the group consisting of -C(R₆)-, -O-C(R₆)-, -N(R₈)-C(R₆)-, and -S(O)₂-;
- each W is independently selected from the group consisting of a bond, -C(O)-, and -S(O)₂-; and
- a and b are independently integers from 1 to 6 with the proviso that $a + b \leq 7$;
- or a pharmaceutically acceptable salt thereof.

16. (original) The compound or salt of claim 15 wherein n is 0.

17. (currently amended) The compound or salt of claim 15 ~~or claim 16~~ wherein R_3 is selected from the group consisting of -Z-Ar, -Z-Ar'-X-Y-R₄, and -Z-Ar'-Y-R₄, ~~-Z-Ar'-Y-R₄, or -Z-Ar'-X-Y-R₄.~~


18. (original) The compound or salt of claim 17 wherein X is C_{1-2} alkylene; Y is -NH-S(O)₂-, -S(O)₂-, -C(O)-, or -C(O)O-; and R₄ is C_{1-4} alkyl or phenyl.


19. (currently amended) The compound or salt of ~~any one of claims 15 through~~ 18 wherein Z is a bond, alkylene, or alkylene interrupted by -O-.

20. (original) The compound or salt of claim 19 wherein Z is C_{1-3} alkylene.

21. (original) The compound or salt of claim 19 wherein Z is a bond.

22. (currently amended) The compound or salt of ~~any one of claims 15 through 21~~ wherein R_1 is selected from the group consisting of alkyl, arylalkylenyl, aryloxyalkylenyl, hydroxyalkyl, dihydroxyalkyl, alkylsulfonylalkylenyl, heterocyclylalkylenyl wherein heterocyclyl is optionally substituted by one or more alkyl groups, $-X-Y-R_4$, and $-X-R_5$; wherein X is alkylene, Y is

$-N(R_8)-C(O)-$, $-N(R_8)-S(O)_2-$, $-N(R_8)-C(R_6)-N(R_8)-$, or ; R_4 is alkyl, aryl, arylalkylenyl, or heteroaryl, each of which is optionally substituted by one or more substituents selected from the group consisting of alkyl, alkoxy, halogen, or dialkylamino; and R_5 is




23. (original) The compound or salt of claim 22 wherein R_1 is selected from the group consisting of 2-hydroxy-2-methylpropyl, 2-methylpropyl, propyl, 2,3-dihydroxypropyl, 4-[(methylsulfonyl)amino]butyl, 2-methyl-2-[(methylsulfonyl)amino]propyl, 2-[(cyclohexylcarbonyl)amino]-2-methylpropyl, 4-(1,1-dioxidoisothiazolidin-2-yl)butyl, tetrahydro-2H-pyran-4-ylmethyl, and (2,2-dimethyl-1,3-dioxolan-4-yl)methyl.

24. (currently amended) The compound or salt of ~~any one of claims 15 through 23~~ wherein R_2 is selected from the group consisting of hydrogen, alkyl, alkoxyalkylenyl, and $-X-N(R_8)-C(R_6)-N(R_8)-R_4$ wherein X is C_{1-4} alkylene, and R_4 is C_{1-4} alkyl.

25. (original) The compound or salt of claim 24 wherein R_2 is selected from the group consisting of hydrogen, methyl, ethyl, propyl, butyl, ethoxymethyl, methoxymethyl, 2-methoxyethyl, and methylaminocarbonylaminomethyl.

26. (original) The compound or salt of claim 25 wherein R_2 is selected from the group consisting of ethyl, propyl, 2-methoxyethyl, ethoxymethyl, and methoxymethyl.

27. (original) A compound of the formula (III):



III

wherein:

R_{3-1} is -Z-Ar;

Z is selected from the group consisting of a bond, alkylene, alkenylene, and alkynylene wherein alkylene, alkenylene, and alkynylene are optionally interrupted with -O-;

Ar is selected from the group consisting of aryl and heteroaryl both of which can be unsubstituted or can be substituted by one or more substituents independently selected from the group consisting of alkyl, alkenyl, alkoxy, methylenedioxy, haloalkyl, haloalkoxy, halogen, nitro, hydroxy, hydroxyalkyl, mercapto, cyano, carboxy, formyl, aryl, aryloxy, arylalkyleneoxy, heteroaryl, heteroaryloxy, heteroarylalkyleneoxy, heterocyclyl, heterocyclylalkylenyl, amino, alkylamino, and dialkylamino;

R is selected from the group consisting of alkyl, alkoxy, hydroxy, halogen, and trifluoromethyl;

n is 0 or 1;

R_1 is selected from the group consisting of:

- R_4 ,

-X- R_4 ,

-X-Y- R_4 ,

-X-Y-X-Y- R_4 , and

-X- R_5 ;





R_2 is selected from the group consisting of:

$-R_4$,
 $-X-R_4$,
 $-X-Y-R_4$, and
 $-X-R_5$;


each X is independently selected from the group consisting of alkylene, alkenylene, alkynylene, arylene, heteroarylene, and heterocyclylene wherein the alkylene, alkenylene, and alkynylene groups can be optionally interrupted by arylene, heteroarylene or heterocyclylene or by one or more -O- groups;

each Y is independently selected from the group consisting of:

$-S(O)_{0-2}-$,
 $-S(O)_2-N(R_8)-$,
 $-C(R_6)-$,
 $-C(R_6)-O-$,
 $-O-C(R_6)-$,
 $-O-C(O)-O-$,
 $-N(R_8)-Q-$,
 $-C(R_6)-N(R_8)-$,
 $-O-C(R_6)-N(R_8)-$,
 $-C(R_6)-N(OR_9)-$,




, and



each R_4 is independently selected from the group consisting of hydrogen, alkyl, alkenyl, alkynyl, aryl, arylalkylenyl, aryloxyalkylenyl, alkylarylenyl, heteroaryl, heteroarylalkylenyl, heteroaryloxyalkylenyl, alkylheteroarylenyl, and heterocyclyl wherein the alkyl, alkenyl, alkynyl, aryl, arylalkylenyl, aryloxyalkylenyl, alkylarylenyl, heteroaryl, heteroarylalkylenyl, heteroaryloxyalkylenyl, alkylheteroarylenyl, and heterocyclyl groups can be unsubstituted or substituted by one or more substituents independently selected from the group consisting of alkyl, alkoxy, hydroxyalkyl, haloalkyl, haloalkoxy, halogen, nitro, hydroxy, mercapto, cyano, aryl, aryloxy, arylalkyleneoxy, heteroaryl, heteroaryloxy, heteroarylalkyleneoxy, heterocyclyl, amino, alkylamino, dialkylamino, (dialkylamino)alkyleneoxy, and in the case of alkyl, alkenyl, alkynyl, and heterocyclyl, oxo;

each R_5 is independently selected from the group consisting of:



each R_6 is independently selected from the group consisting of $=\text{O}$ and $=\text{S}$;

each R_7 is independently C_{2-7} alkylene;

each R_8 is independently selected from the group consisting of hydrogen, alkyl, alkoxyalkylenyl, and arylalkylenyl;

each R_9 is independently selected from the group consisting of hydrogen and alkyl;

each R_{10} is independently C_{3-8} alkylene;

each A is independently selected from the group consisting of $-\text{O}-$, $-\text{C}(\text{O})-$, $-\text{S}(\text{O})_{0.2}-$, $-\text{CH}_2-$, and $-\text{N}(\text{R}_4)-$;

each Q is independently selected from the group consisting of a bond, $-\text{C}(\text{R}_6)-$, $-\text{C}(\text{R}_6)-\text{C}(\text{R}_6)-$, $-\text{S}(\text{O})_2-$, $-\text{C}(\text{R}_6)-\text{N}(\text{R}_8)-\text{W}-$, $-\text{S}(\text{O})_2-\text{N}(\text{R}_8)-$, $-\text{C}(\text{R}_6)-\text{O}-$, and $-\text{C}(\text{R}_6)-\text{N}(\text{OR}_9)-$;

each V is independently selected from the group consisting of $-\text{C}(\text{R}_6)-$, $-\text{O}-\text{C}(\text{R}_6)-$, $-\text{N}(\text{R}_8)-\text{C}(\text{R}_6)-$, and $-\text{S}(\text{O})_2-$;

each W is independently selected from the group consisting of a bond, $-\text{C}(\text{O})-$, and

$-\text{S}(\text{O})_2-$; and

a and b are independently integers from 1 to 6 with the proviso that $a + b \leq 7$; or a pharmaceutically acceptable salt thereof.

28. (original) The compound or salt of claim 27 wherein n is 0.

29. (currently amended) The compound or salt of claim 27 ~~or 28~~ wherein Ar is phenyl or heteroaryl which is unsubstituted or substituted by one or more substituents independently selected from the group consisting of alkyl, alkoxy, nitro, cyano, carboxy, halogen, hydroxyalkyl, amino, alkylamino, dialkylamino, trifluoromethyl, trifluoromethoxy, and thienyl.


30. (original) The compound or salt of claim 29 wherein heteroaryl is selected from the group consisting of benzothiazolyl, furanyl, imidazolyl, indolyl, isoxazolyl, oxadiazolyl, pyrazinyl, pyridinyl, pyrrolyl, thiazolyl, and thienyl.


31. (currently amended) The compound or salt of ~~any one of claims 27 through 30~~ wherein Z is a bond, alkylene, or alkylene interrupted by -O-.

32. (original) The compound or salt of claim 31 wherein Z is C_{1-3} alkylene.

33. (original) The compound or salt of claim 31 wherein Z is a bond.

34. (currently amended) The compound or salt of ~~any one of claims 27 through 33~~ wherein R_1 is selected from the group consisting of alkyl, arylalkylenyl, aryloxyalkylenyl, hydroxyalkyl, dihydroxyalkyl, alkylsulfonylalkylenyl, heterocyclalkylenyl wherein heterocycl is optionally substituted by one or more alkyl groups, $-\text{X}-\text{Y}-\text{R}_4$, and $-\text{X}-\text{R}_5$; wherein X is alkylene, Y is

$-\text{N}(\text{R}_8)-\text{C}(\text{O})-$, $-\text{N}(\text{R}_8)-\text{S}(\text{O})_2-$, $-\text{N}(\text{R}_8)-\text{C}(\text{R}_6)-\text{N}(\text{R}_8)-$, or ; R_4 is alkyl, aryl, arylalkylenyl, or heteroaryl, each of which is optionally substituted by one or more substituents selected from the group consisting of alkyl, alkoxy, halogen, or dialkylamino; and R_5 is




35. (original) The compound or salt of claim 34 wherein R₁ is selected from the group consisting of 2-hydroxy-2-methylpropyl, 2-methylpropyl, propyl, 2,3-dihydroxypropyl, 4-[(methylsulfonyl)amino]butyl, 2-methyl-2-[(methylsulfonyl)amino]propyl, 2-[(cyclohexylcarbonyl)amino]-2-methylpropyl, 4-(1,1-dioxidoisothiazolidin-2-yl)butyl, tetrahydro-2H-pyran-4-ylmethyl, and (2,2-dimethyl-1,3-dioxolan-4-yl)methyl.

36. (currently amended) The compound or salt of any one of claims 27 through 35 wherein R₂ is selected from the group consisting of hydrogen, alkyl, alkoxyalkylenyl, and -X-N(R₈)-C(R₉)-N(R₉)-R₄ wherein X is C₁₋₄ alkylene, and R₄ is C₁₋₄ alkyl.

37. (original) The compound or salt of claim 36 wherein R₂ is selected from the group consisting of hydrogen, methyl, ethyl, propyl, butyl, ethoxymethyl, methoxymethyl, 2-methoxyethyl, and methylaminocarbonylaminomethyl.

38. (original) The compound or salt of claim 37 wherein R₂ is selected from the group consisting of ethyl, propyl, 2-methoxyethyl, ethoxymethyl, and methoxymethyl.

39. (original) A compound of the formula (VII):



VII

wherein:

R is selected from the group consisting of alkyl, alkoxy, hydroxy, halogen, and trifluoromethyl;

n is 0 or 1;

R_{1-1} is selected from the group consisting of:

- R_{4-1} ,
- $X'-R_{4-1}$,
- $X'-Y'-R_{4-1}$,
- $X'-Y'-X-Y-R_{4-1}$, and
- $X'-R_5$;

R_2 is selected from the group consisting of:


- R_4 ,
- $X-R_4$,
- $X-Y-R_4$, and
- $X-R_5$;

each X is independently selected from the group consisting of alkylene, alkenylene, alkynylene, arylene, heteroarylene, and heterocyclylene wherein the alkylene, alkenylene, and alkynylene groups can be optionally interrupted by arylene, heteroarylene or heterocyclylene or by one or more -O- groups;



X' is selected from the group consisting of alkylene, alkenylene, alkynylene, arylene, heteroarylene, and heterocyclylene wherein the alkylene, alkenylene, and alkynylene groups can be optionally interrupted by an arylene, heteroarylene or heterocyclylene group;


each Y is independently selected from the group consisting of:

- $S(O)_{0-2}$ -,
- $S(O)_2-N(R_8)$ -,
- $C(R_6)$ -,
- $C(R_6)-O$ -,
- $O-C(R_6)$ -,
- $O-C(O)-O$ -,
- $N(R_8)-Q$ -,
- $C(R_6)-N(R_8)$ -,
- $O-C(R_6)-N(R_8)$ -,
- $C(R_6)-N(OR_8)$ -,



Y' is selected from the group consisting of:






each R_4 is independently selected from the group consisting of hydrogen, alkyl, alkenyl, alkynyl, aryl, arylalkylenyl, aryloxyalkylenyl, alkylarylenyl, heteroaryl, heteroarylalkylenyl, heteroaryloxyalkylenyl, alkylheteroarylenyl, and heterocyclyl wherein the alkyl, alkenyl, alkynyl, aryl, arylalkylenyl, aryloxyalkylenyl, alkylarylenyl, heteroaryl, heteroarylalkylenyl, heteroaryloxyalkylenyl, alkylheteroarylenyl, and heterocyclyl groups can be unsubstituted or substituted by one or more substituents independently selected from the group consisting of alkyl, alkoxy, hydroxyalkyl, haloalkyl, haloalkoxy, halogen, nitro, hydroxy, mercapto, cyano, aryl, aryloxy, arylalkyleneoxy, heteroaryl, heteroaryloxy, heteroarylalkyleneoxy, heterocyclyl, amino, alkylamino, dialkylamino, (dialkylamino)alkyleneoxy, and in the case of alkyl, alkenyl, alkynyl, and heterocyclyl, oxo;

$R_{4,1}$ is selected from the group consisting of hydrogen, alkyl, alkenyl, alkynyl, aryl, arylalkylenyl, alkylarylenyl, heteroaryl, heteroarylalkylenyl, alkylheteroarylenyl, and heterocyclyl wherein the alkyl, alkenyl, alkynyl, aryl, arylalkylenyl, alkylarylenyl, heteroaryl, heteroarylalkylenyl, alkylheteroarylenyl, and heterocyclyl groups can be unsubstituted or substituted by one or more substituents independently selected from the group consisting of alkyl, alkoxy, hydroxyalkyl, haloalkyl, haloalkoxy, halogen, nitro, hydroxy, mercapto, cyano, aryl, heteroaryl, heterocyclyl, amino, alkylamino, dialkylamino, (dialkylamino)alkyleneoxy, and in the case of alkyl, alkenyl, alkynyl, and heterocyclyl, oxo;

each R_5 is independently selected from the group consisting of:




each R_6 is independently selected from the group consisting of =O and =S;

each R_7 is independently C_{2-7} alkylene;

a and b are independently integers from 1 to 6 with the proviso that $a + b \leq 7$; or a pharmaceutically acceptable salt thereof; with the proviso that when $R_{1,1}$ is hydrogen or 2-methylpropyl, R_2 is other than hydrogen, and with the further proviso that when $R_{1,1}$ is 2-methylpropenyl or 2-hydroxy-2-methylpropyl, R_2 is other than methyl, ethoxymethyl, and hydroxymethyl.

40. (original) The compound or salt of claim 39 wherein $R_{1,1}$ is selected from the group consisting of alkyl, arylalkylenyl, hydroxyalkyl, dihydroxyalkyl, heterocyclylalkylenyl wherein heterocyclyl is optionally substituted by one or more alkyl groups, $-X'-Y'-R_4$, and $-X'-R_5$; wherein X' is alkylene; Y' is $-N(R_8)-Q-$, and Q is selected from the group consisting of $-C(R_6)-$, $-S(O)_2-$, and $-C(R_6)-N(R_8)-W-$; R_4 is alkyl, aryl, arylalkylenyl, or heteroaryl, each of which is optionally substituted by one or more substituents selected from the group consisting of alkyl, alkoxy, halogen, or dialkylamino; and R_5 is



41. (original) The compound or salt of claim 40 wherein R_{1-f} is selected from the group consisting of 2-hydroxy-2-methylpropyl, 2-methylpropyl, propyl, 2,3-dihydroxypropyl, 4-[(methylsulfonyl)amino]butyl, 2-methyl-2-[(methylsulfonyl)amino]propyl, 2-[(cyclohexylcarbonyl)amino]-2-methylpropyl, 4-(1,1-dioxidoisothiazolidin-2-yl)butyl, tetrahydro-2H-pyran-4-ylmethyl, and (2,2-dimethyl-1,3-dioxolan-4-yl)methyl.

42. (currently amended) The compound or salt of ~~any one of claims 39 through 41~~ wherein n is 0.

43. (currently amended) The compound or salt of ~~any one of claims 39 through 42~~ wherein R_2 is selected from the group consisting of hydrogen, alkyl, alkoxyalkylenyl, and $-X-N(R_8)-C(R_6)-N(R_8)-R_4$ wherein X is C_{1-4} alkylene, and R_4 is C_{1-4} alkyl.

44. (original) The compound or salt of claim 43 wherein R_2 is selected from the group consisting of hydrogen, methyl, ethyl, propyl, butyl, ethoxymethyl, methoxymethyl, 2-methoxyethyl, and methylaminocarbonylaminomethyl.

45. (original) The compound or salt of claim 44 wherein R_2 is selected from the group consisting of ethyl, propyl, ethoxymethyl, 2-methoxyethyl, and methoxymethyl.


46. (currently amended) A pharmaceutical composition comprising a therapeutically effective amount of a compound or salt of ~~any one of claims 15 through 45~~ in combination with a pharmaceutically acceptable carrier.

47. (currently amended) A method of inducing cytokine biosynthesis in an animal comprising administering an effective amount of a compound or salt of ~~any one of claims 15 through 45~~ to the animal.

48. (currently amended) A method of treating a viral disease in an animal in need thereof comprising administering a therapeutically effective amount of a compound or salt of ~~any one of claims 15 through 45~~ to the animal.

49. (currently amended) A method of treating a neoplastic disease in an animal in need thereof comprising administering a therapeutically effective amount of a compound or salt of any one of claims 15 through 45 to the animal.

50. (original) A compound of the formula (IX):



IX

wherein:

R is selected from the group consisting of alkyl, alkoxy, hydroxy, halogen, and trifluoromethyl;

n is 0 or 1;

R₁₋₁ is selected from the group consisting of:

-R₄₋₁,

-X'-R₄₋₁,

-X'-Y'-R₄,

-X'-Y'-X-Y-R₄, and

-X'-R₅;

R₂ is selected from the group consisting of:

-R₄,

-X-R₄,







-X-Y-R₄, and

-X-R₅;


each X is independently selected from the group consisting of alkylene, alkenylene, alkynylene, arylene, heteroarylene, and heterocyclylene wherein the alkylene, alkenylene, and alkynylene groups can be optionally interrupted by arylene, heteroarylene or heterocyclylene or by one or more -O- groups;

X' is selected from the group consisting of alkylene, alkenylene, alkynylene, arylene, heteroarylene, and heterocyclylene wherein the alkylene, alkenylene, and alkynylene groups can be optionally interrupted by an arylene, heteroarylene or heterocyclylene group;


each Y is independently selected from the group consisting of:








, and




Y' is selected from the group consisting of:





, and




;

each R_4 is independently selected from the group consisting of hydrogen, alkyl, alkenyl, alkynyl, aryl, arylalkylenyl, aryloxyalkylenyl, alkylarylenyl, heteroaryl, heteroarylalkylenyl, heteroaryloxyalkylenyl, alkylheteroarylenyl, and heterocyclyl wherein the alkyl, alkenyl, alkynyl, aryl, arylalkylenyl, aryloxyalkylenyl, alkylarylenyl, heteroaryl, heteroarylalkylenyl, heteroaryloxyalkylenyl, alkylheteroarylenyl, and heterocyclyl groups can be unsubstituted or substituted by one or more substituents independently selected from the group consisting of alkyl, alkoxy, hydroxyalkyl, haloalkyl, haloalkoxy, halogen, nitro, hydroxy, mercapto, cyano, aryl, aryloxy, arylalkyleneoxy, heteroaryl, heteroaryloxy, heteroarylalkyleneoxy, heterocyclyl, amino, alkylamino, dialkylamino, (dialkylamino)alkyleneoxy, and in the case of alkyl, alkenyl, alkynyl, and heterocyclyl, oxo;

R_{4-1} is selected from the group consisting of hydrogen, alkyl, alkenyl, alkynyl, aryl, arylalkylenyl, alkylarylenyl, heteroaryl, heteroarylalkylenyl, alkylheteroarylenyl, and heterocyclyl wherein the alkyl, alkenyl, alkynyl, aryl, arylalkylenyl, alkylarylenyl, heteroaryl,


each R_5 is independently selected from the group consisting of:




or a pharmaceutically acceptable salt thereof.

24

$-\text{C}(\text{R}_6)-$, $-\text{S}(\text{O})_2-$, and $-\text{C}(\text{R}_6)-\text{N}(\text{R}_8)-\text{W}-$; R_4 is alkyl, aryl, arylalkylenyl, or heteroaryl, each of which is optionally substituted by one or more substituents selected from the group consisting of alkyl, alkoxy, halogen, or dialkylamino; and R_5 is



52. (original) A compound of the formula (XI):



XI

wherein:

R_3 is selected from the group consisting of:

- $-\text{Z}-\text{Ar}$,
- $-\text{Z}-\text{Ar}'-\text{Y}-\text{R}_4$,
- $-\text{Z}-\text{Ar}'-\text{X}-\text{Y}-\text{R}_4$,
- $-\text{Z}-\text{Ar}'-\text{R}_5$, and
- $-\text{Z}-\text{Ar}'-\text{X}-\text{R}_5$;

Z is selected from the group consisting of a bond, alkylene, alkenylene, and alkynylene wherein alkylene, alkenylene, and alkynylene are optionally interrupted with $-\text{O}-$;

Ar is selected from the group consisting of aryl and heteroaryl both of which can be unsubstituted or can be substituted by one or more substituents independently selected from the group consisting of alkyl, alkenyl, alkoxy, methylenedioxy, haloalkyl, haloalkoxy, halogen, nitro, hydroxy, hydroxyalkyl, mercapto, cyano, carboxy, formyl, aryl, aryloxy, arylalkyleneoxy, heteroaryl, heteroaryloxy, heteroarylalkyleneoxy, heterocyclyl, heterocyclylalkylenyl, amino, alkylamino, and dialkylamino;

Ar' is selected from the group consisting of arylene and heteroarylene both of which can be unsubstituted or can be substituted by one or more substituents independently selected from

the group consisting of alkyl, alkenyl, alkoxy, haloalkyl, haloalkoxy, halogen, nitro, hydroxy, hydroxyalkyl, mercapto, cyano, carboxy, formyl, aryl, aryloxy, arylalkyleneoxy, heteroaryl, heteroaryloxy, heteroarylalkyleneoxy, heterocyclyl, heterocyclylalkylenyl, amino, alkylamino, and dialkylamino;

R is selected from the group consisting of alkyl, alkoxy, hydroxy, halogen, and trifluoromethyl;

n is 0 or 1;

R₁ is selected from the group consisting of:

-R₄,
 -X-R₄,
 -X-Y-R₄,
 -X-Y-X-Y-R₄, and
 -X-R₅;

R₂ is selected from the group consisting of:

-R₄,
 -X-R₄,
 -X-Y-R₄, and
 -X-R₅;

each X is independently selected from the group consisting of alkylene, alkenylene, alkynylene, arylene, heteroarylene, and heterocyclylene wherein the alkylene, alkenylene, and alkynylene groups can be optionally interrupted by arylene, heteroarylene or heterocyclylene or by one or more -O- groups;

each Y is independently selected from the group consisting of:



-S(O)₀₋₂-,
 -S(O)₂-N(R₈)-,
 -C(R₆)-,
 -C(R₆)-O-,
 -O-C(R₆)-,
 -O-C(O)-O-,
 -N(R₈)-Q-,
 -C(R₆)-N(R₈)-,

24

a and b are independently integers from 1 to 6 with the proviso that $a + b \leq 7$;
or a pharmaceutically acceptable salt thereof.

53. (original) The compound or salt of claim 52 wherein R₃ is benzyl.

54. (currently amended) The compound or salt of claim 52 or claim 53 wherein R₁ is selected from the group consisting of alkyl, arylalkylenyl, aryloxyalkylenyl, hydroxyalkyl, alkylsulfonylalkylenyl, heterocyclalkylenyl wherein heterocycl is optionally substituted by one or more alkyl groups, -X-Y-R₄, and -X-R₅; wherein X is alkylene, Y is



55. (new) A pharmaceutical composition comprising a therapeutically effective amount of a compound or salt of claim 27 in combination with a pharmaceutically acceptable carrier.
56. (new) A method of inducing cytokine biosynthesis in an animal comprising administering an effective amount of a compound or salt of claim 27 to the animal.
57. (new) A method of treating a viral disease in an animal in need thereof comprising administering a therapeutically effective amount of a compound or salt of claim 27 to the animal.
58. (new) A method of treating a neoplastic disease in an animal in need thereof comprising administering a therapeutically effective amount of a compound or salt of claim 27 to the animal.
59. (new) A pharmaceutical composition comprising a therapeutically effective amount of a compound or salt of claim 39 in combination with a pharmaceutically acceptable carrier.
60. (new) A method of inducing cytokine biosynthesis in an animal comprising administering an effective amount of a compound or salt of claim 39 to the animal.
61. (new) A method of treating a viral disease in an animal in need thereof comprising administering a therapeutically effective amount of a compound or salt of claim 39 to the animal.
62. (new) A method of treating a neoplastic disease in an animal in need thereof comprising administering a therapeutically effective amount of a compound or salt of claim 39 to the animal.